



**MAGNETIC PRODUCTS, INC.**

**Magnets | Material Handling  
Electronic Inspection | Service**

# Overstock List

# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## SEPERATION EQUIPMENT

Item#	Part Number	Description	# Available	Discount	Sale Price
1	GM-1012-D2	Grate Magnet 10 X12 With D2 Diverters And F1z Finish	2	> 30%	<b>\$125.00</b>
2	GM-5.625-R-4W	Grate Magnet 5.625 Round Grate Magnet With F4w Finish, (So# 24249)	1	> 20%	<b>\$124.00</b>
3	GM-66-304-S	Grate Magnet 6x6 With F2x Finish (Wo# 53276)	1	> 25%	<b>\$762.00</b>
4	GM-12R-REN	Grate Magnet 12 In Round With F1z Finish And Rare Earth Magnet Material	2	> 20%	<b>\$306.00</b>
5	GM-12R-HIG-304-S	Grate Magnet 12in Round With 3x Finish Hi-G High Performance Magnet Material (Wo# 54282 )	2	> 50%	<b>\$1020.00</b>
6	GM-12R	Grate Magnet 11.75" (Actual Size) With - Ceramic	2	> 20%	<b>\$111.00</b>
7	GM-86-D3	Grate Magnet 8"W X 6"L - Ceramic	3	> 20%	<b>\$167.00</b>
8	MC-1010-HM-304-S	Magnetic Chute Hinge-Mount Manual Clean F2z Finish, Ceramic	1	> 30%	<b>\$2946.00</b>
9	DM-210-REN-304-S	Drawer Magnet (DMH) F3% Finish, Limit Switch included - Rear Earth (WO#50665)	1	> 20%	<b>1962.00</b>
10	ILGDM-2-0808-S-QC	Inline Gravity Flow Drawer 8" Quick-Clean with F2X Finish - Rear Earth	1	> 50%	<b>\$5500.00</b>
11	ILGDM-2-0606-HIG-QC-304-S	Inline Gravity Flow Drawer 6" Quick-Clean with F2X Finish - Rear Earth	1	> 50%	<b>\$4500.00</b>
12	SDM-44	Stainless Steel Drawer Magnet F1z Finish - Ceramic (Wo# 45451)	1	> 20%	<b>\$269.00</b>
13	RSDM2-150-REN-304-S	Round Spout Drawer Magnet with F3x Finish, Welded In Place Tubes - Rear Earth (Wo #41694)	1	> 20%	<b>\$1243.00</b>

**Protecting and Moving the World through Innovation**  
248.887.5600 | (F) 248.887.6100 | info@mpimagnet.com  
683 Town Center Dr., Highland, MI 48356 | mpimagnet.com

**\*\*Subject to availability**

Note: Images are for product reference purposes only.

# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## SEPERATION EQUIPMENT

Item#	Part Number	Description	# Available	Discount	Sale Price
1	AMG-10-8	All Magnetic Grate 10 inch, ceramic	1	> 25%	<b>\$480.00</b>
2	AMG-10R-QC	All Magnetic Grate 10 inch round with a F2Z Finish, Quick Clean and Diverters, ceramic	1	> 20%	<b>\$334.00</b>
3	AMG-66-QC	All Magnetic Grate 6x6 inch with F2Z Finish, Quick Clean and Diverters, ceramic	1	> 30%	<b>\$137.00</b>
4	AMG-6R	All Magnetic Grate 6 inches round with F2Z Finish, ceramic	1	> 20%	<b>\$204.00</b>
5	AMG-810-QC	All Magnetic Grate 8x10 with Quick Clean, ceramic	1	> 20%	<b>\$205.00</b>
6	AMG-88-QC	All Magnetic Grate 8x8 with F1Z Finish, Quick Clean with diverter, ceramic	1	> 20%	<b>\$229.00</b>
7	MT-106.375-REN-(1).250-20(1) PE	Magnetic Tube (MT) 6.375 inch, Rare Earth magnetic material (WO# 37488)	2	> 50%	<b>\$63.00</b>
8	MT-106-REN	Magnetic Tube (MT) 6 inch, Rare Earth magnetic material	1	> 25%	<b>\$77.00</b>
9	ILMT-106-REN	Inline Magnet Tube 6 inch with F2Z Finish, Rare Earth Magnet, Tri-Clover Clamp, Rare Earth magnetic material	1	> 21%	<b>\$297.00</b>
10	ILMT-112-RENHT-MO	Inline Magnet Tube 12 inch F2Z Finish, High Temp, (MO) Magnet Only, Rare Earth magnetic material	1	> 50%	<b>\$128.00</b>
11	ILNP2-R204-SS-DOWN-304-S	In Line Neo Plate Magnet, 4.0" (I.D.) wide X 3.5" (I.D.) deep housing, Vertical up or Down application with F3X finish (WO#52819/SHO)	1	> 20%	<b>\$6294.40</b>
12	LPT-20-RENHT-304	Liquid Plate Trap, Pipe Size: 2" diameter with F2X finish - Rare Earth, High Temp (SO#44159)	1	> 20%	<b>\$5280.00</b>
13	ILMT-104-REN-S	Inline Magnetic Tube REN, 1.00" diameter magnetic tube with bullet nose end plug projecting 4.0" F2X finish - Rare Earth (WO# 52461/SHO)	1	> 20%	<b>\$549.60</b>

# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## SEPERATION EQUIPMENT

Item#	Part Number	Description	# Available	Discount	Sale
1	NP-R214-SS-304-S	Plate Magnet 14 x10 Single Step with Rare Earth magnetic material and a F2Z Finish (WO# 50643)	1	> 20%	<b>\$797.00</b>
2	PM-214	Plate Magnet 14" wide x 8.5" long x 1.5" thick - Ceramic	1	> 25%	<b>\$446.00</b>
3	<del>PM-324</del>	<del>Plate Magnet 2.125" thick 24.0" wide x 10.5" long - Ceramic, Flat face</del>	<del>1</del>	<del>&gt; 25%</del>	<del><b>\$459.00</b></del>
4	PM-110	Plate Magnet 10.0" wide x 7.5" long - Ceramic	1	> 30%	<b>\$208.00</b>
5	PM-414.5-DS-HYB-QC-304-S	Plate Magnet Hybrid Quick Clean, 3.335" thick x 36" wide x 10.25" long double step(WO#30542)	1	> 20%	<b>\$1303.00</b>
6	PM-414-DS-HYB-SC-304-S	Plate Magnet Hybrid Self Clean, 14.625" wide x 11" long x 3.335" thick (WO#30865)	1	> 20%	<b>\$1459.00</b>
7	PM-408-SS-HYB-304-S	Plate Magnet Hybrid Manual Clean, 3.335" thick 8" wide x 12.5" long with a F3X finish. (SO#30062)	1	> 25%	<b>\$901.00</b>
8	PM-316-DS-S	Plate Magnet 2.125" thick X 16.0" wide X 10.0" long - Ceramic, Double Step	1	> 20%	<b>\$386.00</b>
9	PM-416-304-S	Plate Magnet 2.750" thick X 16.0" wide X 12.5" long - Ceramic (SO # 38848)	6	> 20%	<b>\$443.00</b>
10	PM-206-SS	Plate Magnet 6" wide x 8.5" long x 1.5" thick, Signle Step - Ceramic	1	> 20%	<b>\$439.20</b>
11	PM-108	Plate Magnet 8" wide x 7.5" long x 1" thick - Ceramic, Flat Face	1	> 20%	<b>269.00</b>
12	NP-H109-SS-S	Plate Magnet 9 inch wide - Single Step with Rare Earth (WO#02029)	1	> 25%	<b>\$600.00</b>
13	NP-C410-DS	Plate Magnet 10" x12.5" x 1.75" thick - Rare Earth, Double Step, Double Pole	1	> 20%	<b>\$1121.00</b>
14	NP-R210-DS-304-S	Plate Magnet 10 x9.5 Double Step with Rare Earth magnetic material and a F3X Finish, (WO#40687)	1	> 30%	<b>\$644.00</b>

# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## SEPERATION EQUIPMENT

Item#	Part Number	Description	# Available	Discount	Sale
1	NP-R212-SS-304-S	Neo Plate magnet 12.0" wide X 10.0" long with F2Z finish WO#50642	1	> 20%	<b>\$1481.60</b>
2	FFC-24-QC-304	Free Flow Cylinder (Ffc) F1v Finish, Quick Clean, Pre-Drilled Mounting Flanges - Ceramic (Wo#28784)	1	>50%	<b>\$4160.00</b>

# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## SEPERATION EQUIPMENT

### Pneumatic Line Magnet

#### SPECIFICATIONS:

- > (PLM) Pneumatic Line Magnet designed for removal of fine metal contaminants in dilute-phase pneumatic conveying
- > (4) (Special, See below for details)
- > (REN) Powerful Rare Earth Neodymium-iron-boron magnet material (MAX Temperature: 176°F)
- > (QC) Quick Change design feature allows for removable magnet element for quick and easy removal of tramp metal
- > (304) Manufactured from 304 grade stainless steel
- Latching: Quick Release "DESTACK" Latches, Bolt on (Replaceable)
- Gasket: FDA Rating Approved White Silicone "O-ring cord" compression style gasket

#### "SPECIAL":

- > (4) (Special, See below for details)
- > (4) (Special, See below for details)

#### "SPECIAL" FINISH SPECIFICATIONS:

- >Product Contact Areas: [F3(%1)]
- >External Housing Seams: [F3X]
- >All Other: [F2X]
- > Complete Unit: [(%2)]

### PLM-4-REN-QC-304-S

1 available | Sale Price \$11200.00 ( 20% Discount )



**SOLED**

# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## SEPERATION EQUIPMENT

### Magnetic Belt Feeder

#### SPECIFICATIONS:

- > (MBF) Magnetic Belt Feeder
- > (1248) 12" Diameter magnetic pulley X 48" wide
- > (REN) Powerful Rare Earth Neodymium-Iron-Boron magnet material
- > 48" (usable) belt width with stainless steel lacing 3/32" Thick with dual V-guides.
- > Approximate dimensions 60" wide X 48" tall and 78" long
- > Carbon steel slider bed.
- > Belting side brush feature to keep product on flat belt mounted to conveyor framing.
- > Heavy duty "C" channel carbon steel frame.
- > Adjustable take-up assembly.
- > Inspection / Clean out access panels to inspect & maintain the magnetic head pulley.
- > With "bolt -on" legs.
- > Motor drive package:
  - > 1 HP TEFC offset Drive Motor package
  - > 460 Volts, 60 HZ, 3 Phase AC
  - > Maximum developed Speed - 22 FPM

MBF-1248-REN-S

**1 available | Sale Price \$49,900.00 ( 50% Discount )**



*Protecting and Moving the World through Innovation*

248.887.5600 | (F) 248.887.6100 | info@mpimagnet.com  
683 Town Center Dr., Highland, MI 48356 | mpimagnet.com

**\*\*Subject to availability**

Note: Images are for product reference purposes only.

OL.2023.10 | Page 7

# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## SEPERATION EQUIPMENT

### Magnetic Rotary Feeder

#### SPECIFICATIONS:

- > (MRF) Magnetic Rotary Feeder
- > (114) 10.0" diameter feeder drum with 14 rows of cups to maintain constant flow of product to processing equipment
- > (QC) Quick-Clean roller glide system
- > (EXP) Explosion proof drive package
- > Product Inlet: 6.0" deep X 49.5" wide
- > Product Outlet: 9.0" deep X 49.5" wide
- > Magnet Type: 400 Series ceramic
- > Tramp Iron Collection Tray: Included
- > Roller Glide System: Included
- > Drive Package: XP Design included
- > Suspension Blocks: Mounting blocks with through holes for suspension from above via (Customer provided) threaded rods
- > Companion Flange: Carbon steel inlet included
- > Limit Switch: AB NEMA 9 Rated included
- > Zero Speed Switch: Mount only



### MRF-114-QC-EXP-003

(WO#48206)

**1 available | Sale Price \$6783 (50% Discount)**

*Protecting and Moving the World through Innovation*

248.887.5600 | (F) 248.887.6100 | info@mpimagnet.com  
683 Town Center Dr., Highland, MI 48356 | mpimagnet.com

**\*\*Subject to availability**

Note: Images are for product reference purposes only.

OL.2023.10 | Page 8



# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## SEPERATION EQUIPMENT

### Continuous Flow Drawer Magnet (CFDMU)


#### SPECIFICATIONS:

- > Magnet Type: Drawer magnet (CFDMU Series)
  - > Cleaning Method: Continuous automated self-cleaning
  - > Model Size: 8" square inlet and outlet
  - > Material Construction: 304 Stainless Steel
  - > Magnetic Tubes [reference datasheet MT]: REN
  - > Magnetic Material Temperature: 176 F @ 52+ MGOe (rare earth)
  - > Tube Spacing: 2" horizontal and 2" vertical spacing
  - > Tube Coatings: Stainless steel with no coating
  - > Gasket Material: White silicon, FDA approved
  - > Transitions: Inlet & Outlet Transition - See below for details
  - > Self-Clean Package: Pneumatic cylinders prepped for reed switches - 80 PSI input
  - > Valve Package: 120VAC explosion proof rated (standard)
  - > Safety Cage Design: Safety cage with removable cover for magnet access
  - > Tramp Metal Collection Method: Open bottom safety cage with MPI standard flange
  - > Internal Drawer Support: Included (standard on all CFDMU models)
- #### FINISH SPECIFICATIONS:
- > Product Contact Areas: [F2X]
  - > External Housing Seams: [F2X]
  - > Tube Ends: [F2X]
  - > All Other: [F1V]

### CFDMU-408-SC-304-S

(WO# 47753)

**1 available | Sale Price \$8,885.00 (20% Discount)**  
***slightly used condition***



**Protecting and Moving the World through Innovation**

248.887.5600 | (F) 248.887.6100 | info@mpimagnet.com  
683 Town Center Dr., Highland, MI 48356 | mpimagnet.com

**\*\*Subject to availability**

Note: Images are for product reference purposes only.

OL.2023.10 | Page 9

# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## SEPERATION EQUIPMENT

### Drum Separator with Housing



#### SPECIFICATIONS:

- > (DSH) Drum Separator in Housing
- > (1212) 12" diameter drum with a 12" wide rotating shell
- > (REN) Powerful rare earth neodymium-Iron-boron magnet material (Max temperature: 176F)
- > (S) Special (see below for details)
- > 220 degrees of stationary magnets ensure the highest rates of separation

#### SPECIAL:

- > Offset motor drive package including:
  - \*On/off switch including an Emergency stop
  - \*Input voltage: 480vac/3/60Hz
  - \* 3/4 HP TEFC motor
  - \* Gear reducer for 45 RPM constant speed
  - \* Torque limiter
  - \* OSHA compliant mounts and guards
  - \* VFD drive included
  - \* NEMA 12 enclosure

### DSH-1212-REN

**1 available | Sale Price \$11,657.47 (20% Discount)**

# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## SEPERATION EQUIPMENT

### Roto-Mag Quick-Clean (RMU)

#### SPECIFICATIONS:

- > 12" Square inlet / outlet.
- > 12" Dia. rotating grate.
- > Powerful rare earth magnetic material.
- > Stainless steel construction.
- > Hydrex stripper seals for enhanced cleaning of magnetic tubes.
- > Heavy duty housing.
- > Direct drive motor package with:
  - \* 1/4 HP 115 VAC TEFC motor.
  - \* Gear reduced for 16 RPM constant speed.

#### Finish Specifications:

- >Product contact areas: F1X
- >Housing exterior seams: F2X
- >Tube ends: F2X
- > ALL OTHER: F1X

### RMU-1212-QC-S

**1 available | Sale Price \$6900.00 (20% Discount)**



# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## INDUSTRIAL EQUIPMENT & WORK HOLDING EQUIPMENT

Item#	Part Number	Description	# Available	Discount	Sale Price
1	HT-373	Hand Tool - 1.375" X 6" X 36"	33	< 30%	<b>\$22.00</b>
2	HT-417	Hand Tool	16	< 30%	<b>\$88.00</b>
3	HT-831	1.5 x .764 x 12.033 long Washer Hand Tool	13	< 30%	<b>\$43.00</b>
4	M-200-MS-EXT	Motor Support M-200 W/ Extrusion (WO# 50580)	1	< 20%	<b>\$428.00</b>
5	MM20/HP/50NPT	High Pressure Micromag (SO# 35528)	1	< 20%	<b>\$1586.00</b>
6	PM2030.K150	12" 300MM long X 8" 200 MM wide X 2.7" 68MM tall 8 poles Power Matrix	1	< 20%	<b>\$899.00</b>
7	MSW-385	15.7" wide with Quick release mechanism Eclipse Magnetic Sweeper	4	< 30%	<b>\$56.00</b>
8	FM-1250-2500-4000-S	1.25" thickness X 2.5 Width X4" length Fixture Magnet Special (WO #15571)	18	< 30%	<b>\$70.00</b>
9	ECSP100	Standard Range Magnetic Chuck 3.94 x 1.96, weight is 6.6 lbs	1	< 25%	<b>\$213.00</b>
10	EPC-80-203	80MM high x 203MM long Long Fine Pole Magnet	2	< 20%	<b>\$1920.00</b>
11	EPC-PS-110	110 Volt controller to operate 2 EPC-80-203 fine pole magnets (works with Long Fine Pole Magnet)	1	< 20%	<b>\$1320.00</b>
12	FM-1250-2500-4000-S	1.25" thickness X 2.5 Width X4" length Fixture Magnet Special (WO #15571)	18	< 30%	<b>\$70.00</b>

# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## INDUSTRIAL EQUIPMENT & WORK HOLDING EQUIPMENT

Item#	Part Number	Description	# Available	Discount	Sale Price
1	AFM-0621-REN	Air Fanner Magnet (AFM) ( WO# 05546)	1	< 20%	<b>\$647.00</b>
2	TP330	Thin Plate Lifting Magnet (SO# 24846 )	3	< 30%	<b>\$318.00</b>
3	BP-400-750-4750	Bipolar Electro Magnet	5	< 20%	<b>\$639.00</b>
4	CC-48-REN-5DEG-EBB	48" wide 5.750" dia. multi-pole magnetic roll Coolant Cleaner (WO# 28538)	1	< 30%	<b>\$5828.00</b>
5	AFM-0608-REN-S	Air Fanner Magnet (AFM) 1/4 NPT air hook-up, painted Black (WO #15626)	5	< 25%	<b>\$431.00</b>
6	LM-2000S	Lift Magnet 2000 lb FLAT lift capacity 4.5" wide x 16" long x 3" tall	2	> 20%	<b>\$200.00</b>

# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

**ELETRONIC INSPECTION & WORK HOLDING EQUIPMENT**

Item#	Part Number	Description	# Available	Discount	Sale Price
1	BD-0350X0125-2018-180409	350mm wide x 125mm Tall, Shark 2A Controller - Head only ** Can be used for main board & power supply spare parts.	1	>10%	<b>\$5000.00</b>
2	PP-10050743	350mm wide x 600mm Tall, Shark 2A Controller. Sensor Head only, w/controller ** Can be used for main board & power supply spare parts.	1	> 25%	<b>\$3924.00</b>
3	PP-10150239	Product pipe GFC 0150 PVDF complete PVDF down pipe (white), max. 120 degree Celsius, Ø 150mm, food grade, with silicon sleeve	1	> 20%	<b>\$320.00</b>

# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## ELECTRONIC INSPECTION & WORK HOLDING EQUIPMENT

### PRO-TECTOR WITH DMU

> DMU-208-QC-304 with the following features: Two tiers (3 over 4) of 1" diameter magnetic tubes mounted on 2" centers with an 8" square inlet/outlet

- (QC) Quick Clean design featuring nonmetallic strippers
- (304) Manufactured from 304 grade stainless steel
- UHMW stripper assemblies provide a 62% increase in magnetic strength over sleeve over tube design
- Powerful rare earth neodymium-Iron-boron magnet material (Max temperature: 176F)
- FDA approved "O-ring cord" compression style gasket which offers a bullet-proof seal and virtually eliminates gasket replacement
- Exclusive lock and release latch mechanism prevents accidental cleaning of magnets in product flow
- Rareaccess panel for inspection and easy maintenance
- 9" tall housing

Sensor Head:

- Model Number GF 0150 Sensor head with the following features: Digital metal detector for gravity application
- Pipe diameter of 150mm (5.91 inches)
- Sensor head and installation frame manufactured from stainless steel
- FDA quality PVDF plastic downpipe

### PROTECT-150

(SO# 34992)

**1 available | Sale Price \$17,980.000 (20% Discount)**



*Protecting and Moving the World through Innovation*

248.887.5600 | (F) 248.887.6100 | info@mpimagnet.com  
683 Town Center Dr., Highland, MI 48356 | mpimagnet.com

**\*\*Subject to availability**

Note: Images are for product reference purposes only.

OL.2023.10 | Page 15



# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## ELECTRONIC INSPECTION & WORK HOLDING EQUIPMENT



### Gravity Fed Metal Detector 150mm Dia.

#### SENSOR HEAD:

- > Model Number: GF 0150 ( 5.91" [150.0MM] )
- > Type: Digital metal detector for gravity applications
- > Sensor Head Material: Stainless steel
- > Ingress Protection Rating: IP65
- > Down Pipe Material: FDA approved PVDF (Polyvinylidene difluoride)
- > Sensor Head Control Cable: 117.0" [3.0M]

#### CONTROLLER:

- > Model Number: SHARK-2A Digital Wall mounting controller
- > Ingress Protection Rating: IP65
- > Intuitive: Easy to use interface
- > Exclusive Design: Four-quadrant digital technology allows for a 360° freestyle
- > Teaching: Quick-Teach with graphic assist
- > Reporting: Auto reporting HACCP-SQF 2000-BRC-GMP-IFS5-FSSC 22000/PAS 220
- > PLC Capable: Input/ Output 8
- > Input Power Requirements: 115/230/60

#### REJECT:

- > Pneumatic reject device for automatically rejecting contaminated product
- > Design: For powder and bulk products
- > Material: Stainless steel

WELD-ON PIPE ENDS: For easy and simple connection of the GF metal detector into existing pipes

**GF0150** (WO# 45784)

**1 available | Sale Price: \$22,000 (10% Discount)**



# Overstock List



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service

## ELECTRONIC INSPECTION & WORK HOLDING EQUIPMENT



### Gravity Fed Metal Detector (10.0")

#### SENSOR HEAD:

- > Model Number: GF 0250 (10.0")

#### SPECIFICATIONS:

- > Type: Digital metal detector for gravity applications
- > Sensor Head and Mounting Frame Material: Stainless steel
- > Design: Housing filled with epoxy for extra stability
- > Description: Sensor head suitable for steam-hose cleaning
- > Aperture Opening: Includes long-term sealing protection
- > Maximum Pressure: 70bar / 1000PSI
- > Ingress Protection Rating: IP69k
- > Down Pipe Material: FDA approved PVDF
- > Sensor Head Control Cable: Length: 195.0" [5.0M]

#### CONTROLLER:

- > Model Number: SHARK-2A (W380) Hygienic Design Digital controller type "W" (Wall mount)
- > Enclosure: Stainless Steel
- > Ingress Protection Rating: IP56
- > Exclusive Design: Four-quadrant digital technology allows for a 360° freestyle
- > Teaching: Quick-Teach with graphic assist
- > Reporting: Auto reporting, Performance Validation

#### Test (PVS Test)

- > Digital Balance Control: Adjusts for temperature and humidity fluctuations
- > PLC Capable: Input/ Output 8
- > Sensor Head Control Cable: Length: 354.31" [9.0M]

- > Input Power Requirements: 115/230/60

#### REJECT:

- > Model Number: EX-K-0250 (10.0")
- > Part Description: Pneumatic reject device
- > Material: Stainless steel
- > Description: EX-K Reject suitable for low pressure hose cleaning
- > Flap Shaft Ball Bearing: Fitted with rotary shaft seals
- > Ingress Protection Rating: IP66

#### WELD-ON PIPE ENDS:

- > Sold As: Three piece set - Weld-on Pipe End, Quick Connector Clamp, Sealing Ring

#### UNINTERRUPTIBLE POWER SUPPLY:

- > Part Description: Uninterruptible Power Supply

**GF0250-20213-220242** (WO# 54093)

**1 available | Sale Price \$22,839.00 (50% Discount)**

# Regular In-Stock Inventory\*



**MAGNETIC PRODUCTS, INC.**  
Magnets | Material Handling  
Electronic Inspection | Service



M-10 Shaker  
M-50 Shaker  
M-200 Motor



Digital PTK  
\*also available  
NIST Certified



PMPL - 1.5"  
PMPL - 3.0"



GF-150 Pro-Tector  
GF-150  
- Both 6"



EcoMag 5"  
EcoMag 10"  
EcoMag 20"



Magnetic Tubes  
Ships in 24 hours



BD-500 x 250  
- Standard (1) available  
/ Low Pressure wash (1)  
available  
- Conveyor belt  
1700 x 450mm  
(68'long x 18' wide)  
Aperture 500 x 250mm



PLM-QC 3"  
PLM-QC 4"  
PLM-QC 5"



Demo Sensor Heads  
- Aperture 8" x 4"



DMU-QC 208  
DMU-QC 210  
DMU-QC 212

ECO-MAG-CS - EcoMag Cleaning Station

## Tradeshow Equipment for Purchase\*

Description	Part ID
Liquid Trap Magnet Combo Tube and Screener	TW-3-HIG-3-MDS-FS18-304-S
Liquid Finger Tramp	LFT-3-150-RENHT-HIG-316-S WO#54296/SHO
3" Tube Drawer Magnet	DMH-112-HIG-QC-3-304- WSC-S WO#54295/SHO
Liquid Trap Magnet Combo Tube and Screener	TW-3-HIG-3-MDS-FS18-304-S WO#54297/SHO

\*While we make the best effort to immediately replenish supply, in-stock inventory not guaranteed in-stock. Always call for current availability.

**Protecting and Moving the World through Innovation**  
248.887.5600 | (F) 248.887.6100 | info@mpimagnet.com  
683 Town Center Dr., Highland, MI 48356 | mpimagnet.com

**\*\*Subject to availability**

Note: Images are for product reference purposes only.